

---

## Contributors

MOUNIR G. ABOUHAIKAR • *Department of Botany, University of Toronto, Ontario, Canada*

GÜNTER ADAM • *Institut für Angewandte Botanik, Universität Hamburg, Germany*

NADIA S. AL-KAFF • *Department of Virus Research, John Innes Centre, Norwich, UK*

MICHELLE A. ALTING-MEES • *Stratagene Cloning Systems, La Jolla, CA*

JOHN R. AMBLER • *Institute of Developmental and Molecular Biology, Texas A&M University, College Station, TX*

YUKO ANDO • *Faculty of Agriculture, Hokkaido University, Kita-ku, Sapporo, Japan*

JO BADGE • *Botany Department, University of Leicester, UK*

EZEQUIEL BALMORI • *Horticulture Research, Mt. Albert Research Centre, Private Bag, Auckland, New Zealand*

HUGH BARKER • *Scottish Crop Research Institute, Dundee, Scotland*

IAN BARKER • *CSL, Hatching Green, Herts, UK; Present Address: Central Science Laboratories, York, UK*

DAVID L. BECK • *Horticulture Research, Mt. Albert Research Centre, Private Bag, Auckland, New Zealand*

PHILIP H. BERGER • *Department of Plant, Soil, and Entomological Sciences, University of Idaho, Moscow, ID*

NEIL BOONHAM • *School of Biological Sciences, University of Birmingham, UK*

MARGARET I. BOULTON • *Department of Virus Research, John Innes Centre, Norwich, UK*

SALAH E. BOUZOUBAA • *CNRS (IBMP), Strasbourg, France*

CAROL BRATTEY • *Potato Quarantine Unit, SASA, Edinburgh, Scotland*

WALLACE G. BUCHHOLZ • *Institute of Developmental and Molecular Biology, Texas A&M University, College Station, TX; Present Address: Fish Genetics Laboratory, US Fish and Wildlife Service, Anchorage, AK*

JOZEF JULIAN BUJARSKI • *Plant Virology, Northern Illinois University, DeKalb, IL*

JÓZSEF BURGYÁN • *Agricultural Biotechnology Center, Gödöllő, Hungary*

ROBERT BURNS • *SASA, Edinburgh, Scotland*